

Gel Recipes

Anti-Wrinkle Cream-Gel with Argireline (GEL-001)

Phase A	Weight %	For 240 g / 8.5 oz
Warm Distilled Water (diluent)	69.3 %	166 g / 6.oz
<u>Glycerin</u> (humectant)	4 %	9.6 g / 0.3 oz
Phase B		
<u>Triglyceride</u> (emollient)	8 %	19.2 g / 0.7 oz
<u>Meadowfoam Seed Oil</u> (emollient)	2 %	4.8 g / 0.2 oz
<u>Ascorbyl Palmitate</u> (active ingredient)	3 %	7.2 g / 0.3 oz
Phase C		
<u>GelMaker EMU</u> (gelling emulsifier)	3 %	7.2 g / 0.3 oz
Phase D		
<u>Argireline</u> (active ingredient)	5 %	12 g / 0.4 oz
<u>SkinTight AP</u> (active ingredient)	4 %	9.6 g / 0.3 oz
<u>Vitamin A Palmitate</u> (active ingredient)	0.5 %	1.2 g / 0.04 oz 25 drops
<u>Paraben-DU</u> (preservative)	1 %	2.4 g / 0.1 oz 50 drops
<u>Vamille Grapefruit</u> (fragrance)	0.2 %	0.5 g / 0.02 oz 10 drops

Method

Give phase A into a disinfected glass beaker and stir. Give phase B into another disinfected glass beaker and heat to 167F/75C to melt the ascorbyl palmitate. Remove from the heat. Add phase C to phase B and stir. Add the warm phase A to phase B/C and stir well to form the cream-gel. At last add phase D ony by one and stir again well. The gel is best filled into jars, treatment pump or tubes.

Properties

Intensive antiwrinkle skin treatment with Argireline that can reduce face wrinkle depth and can decrease facial wrinkle formation. SkinTight AP is stimulating collagen synthesis and renewal of tissue and has instant skin tightening effects. Vitamin A Palmitate provides anti-wrinkle and regenerating properties while Ascorbyl Palmitate acts as an anti-oxidant and improves skin elasticity. Apply the cream-gel as a twice-a-day treatment regimen.

Order Ingredients

<http://stores.ebay.com/modelsupplies>

Age Defense Liposome Cream-Gel

Phase A	Weight %	For 240 g / 8.5 oz
Warm Distilled Water (diluent)	76.6 %	184 g / 6.6 oz
<u>EDTA</u> (stabilizer/antioxidant)	0.2 %	0.5 g / 0.02 oz (1/4 tsp)
Phase B		
<u>Grapeseed Oil</u> (emollient)	4 %	9.6 g / 0.34 oz
<u>Dimethicone</u> (emollient)	2 %	4.8 g / 0.2 oz
<u>Meadowfoam Seed Oil</u> (emollient)	2 %	4.8 g / 0.2 oz
<u>GelMaker EMU</u> (gelling emulsifier)	3 %	7.2 g / 0.25 oz
Phase C		
<u>Coenzyme Q10</u> (active ingredient)	4 %	9.6 g / 0.34 oz
<u>Lacto-Ceramide</u> (active ingredient)	4 %	9.6 g / 0.34 oz
<u>Wheat Protein</u> (active ingredient)	3 %	7.2 g / 0.25 oz
<u>Paraben-DU</u> (preservative)	1 %	2.4 g / 0.1 oz (50 drops)
<u>White Tea</u> (fragrance)	0.2 %	0.5 g / 0.02 oz (10 drops)

Method

Give phase A into a disinfected glass beaker and stir until the EDTA is dissolved. Give phase B into another disinfected glass beaker and stir. Add phase B to phase A and stir until it becomes a homogenous gel. Add phase C one by one and stir again well. The gel is best filled into jars, treatment pump or tubes.

Properties

Intensive skin treatment with Coenzyme Q-10, lacto-ceramide and wheat protein. Apply the Gel once or twice daily for an effective anti-aging, anti-wrinkle and regenerating treatment.

Order Ingredients

<http://stores.ebay.com/modelsupplies>

Skin Whitening Cream-Gel with SkinWhite MSH

Phase A	Weight %	For 240 g / 8.5 oz
<u>Meadowfoam Seed Oil</u> (emollient)	5 %	12 g / 0.4 oz
<u>Dimethicone</u> (emollient)	2.5 %	6 g / 0.2 oz

<u>SkinWhite MSH</u> (active ingredient)	2 %	4.8 g / 0.2 oz
<u>Polysorbate 80</u> (emulsifier)	1.5 %	3.6 g / 0.1 oz
Phase B		
<u>GelMaker EMU</u> (gelling emulsifier)	3 %	7 g / 0.3 oz
Phase C		
Distilled Water (diluent)	82.8 %	198 g / 7.1 oz
<u>Sorbitol</u> or <u>Glycerin</u> (humectant)	2 %	4.8 g / 0.2 oz
Phase D		
<u>Cinnamom Cassia</u> (preservative)	1 %	2.4 g / 0.1 oz (50 drops)
<u>Green Aromatic Oil</u> fragrance	0.2 %	0.5 g / 0.02oz (10 drops)

Method

Give phase A into a disinfected, heat-resistant glass beaker and heat to (158oF/70oC) to melt the ingredients. Give phase C into a separate beaker and heat to the same temperature. Add phase B to phase A. Remove both beakers from the heat and under stirring add phase A/B to phase C and stir well until homogenous. After the temperature has dropped below 100oF/38oC add phase D and stir again. This skin whitening gel can be stored in treatment pumps, jars or tubes.

Properties

Skin whitening Gel with a novel skin whitener that inhibits the skin cells to produce melanin pigments. Needs up to 6 weeks of daily application to show results in lighten age spots and dark skin areas.

Order Ingredients

<http://stores.ebay.com/modelsupplies>

Skin Tightening Cream-Gel with SkinTight AP

Phase A	Weight %	For 240 g / 8.5 oz
Warm Distilled Water	76.6 %	184 g / 6.6 oz
<u>SkinTight AP</u> (active)	4 %	9.6 g / 0.4 oz
<u>Glycerin</u> (humectant)	2 %	4.8 g / 0.2 oz
<u>EDTA</u>	0.2 %	0.5 g / 0.02 oz (1/4 tsp)
Phase B		
<u>Grapeseed Oil</u>	5 %	12 g / 0.4 oz
<u>GelMaker EMU</u> (gelling)	3 %	7 g / 0.3 oz

emulsifier)		
<u>Dimethicone</u> (emollient)	2 %	4.8 g / 0.2 oz
Phase C		
<u>Jojoba Protein</u> (active ingredient)	2 %	4.8 g / 0.2 oz
<u>Coenzyme-Q10</u> (active ingredient)	4 %	9.6 g / 0.4 oz
<u>Cinnamom Cassia</u> (preservative)	1 %	2.4 g / 0.1 oz (50 drops)
<u>White Rose</u> (fragrance)	0.2 %	0.5 g / 0.02 oz (10 drops)

Method

Give phase A into a disinfected glass beaker and stir until the EDTA is dissolved. Give phase B into another disinfected glass beaker and stir. Add then phase B to phase A while stirring well. Finally add phas C one by one and stir again. This skin tightening gel can be stored in treatment pumps, jars or tubes.

Properties

SkinTight AP gives an immediate skin tightening and also long-term effect by protecting skin cells from oxidative stress and strengthening skin's connective tissue. Coenzyme-Q10 is a potent antioxidant with effective anti-aging and, also like the jojoba protein, anti-wrinkle properties.

Order Ingredients

<http://stores.ebay.com/modelsupplies>

Extreme Hydrating and Firming Eye Gel

Phase A	Weight %	For 240 g / 8.5 oz
Distilled Water (diluent)	75.8 %	182 g / 6.5 oz
<u>Hyaluronic Acid</u>	2 %	4.8 g / 0.2 oz
<u>Sorbitol or Glycerin</u>	1 %	2.4 g / 0.1 oz (50 drops)
Phase B		
<u>Triglyceride</u> (emollient)	5 %	12 g / 0.5 oz
<u>Meadowfoam Seed Oil</u>	3 %	12 g / 0.5 oz
<u>Dimethicone</u> (emollient)	2 %	4.8 g / 0.2 oz
<u>GelMaker EMU</u> (gelling)	3 %	7.2 g / 0.3 oz
Phase C		
<u>SkinTight AP</u> (active)	5 %	12 g / 0.4 oz
<u>Collagen Protector</u> (active)	2 %	4.8 g / 0.2 oz
<u>Paraben-DU</u> (preservative)	1 %	2.4 g / 0.1 oz (50 drops)
<u>Citrus Woody</u> (fragrance)	0.2 %	0.5 g / 0.02 oz (11 drops)

Citrus Woody (fragrance)

0.2 %

0.5 g / 0.02 oz (11 drops)

Method

Give phase A into a disinfected glass beaker, sprinkle the hyaluronic acid into the distilled water while mixing well to avoid the formation of lumps. Add phase B into another disinfected glass beaker and stir. Add phase B to phase A and stir very well until the gel is homogenous. Add the other ingredients of C and stir well. The gel can be filled into treatment pumps, jars or into tubes.

Properties

Light gel that boosts collagen protection has potent moisturizing properties due to hyaluronic acid and the new ingredient skintight firms the skin around the eyes.

Order Ingredients

<http://stores.ebay.com/modelsupplies>